Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section.

T O B A C C O S T O C K S R E P O R T

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS OCTOBER 1, 1931.

Washington, D. C.

November 12, 1931

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:
- A-Wrappers
- B-Heavy Leaf, Cutting Leaf, and Fillers.
- C-Thin Leaf or Cutters.
- X-Lugs and Ground Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined.*

GROUPS OF TYPES 21, 22, 23 and 24:
- A-Wrappers
- B-Heavy Leaf
- C-Thin Leaf
- X-Lugs
- S-Scrap, as defined.*
- N-Nondescript, as defined*

GROUPS OF TYPE 31:
- A-Wrappers
- B-Leaf or Fillers and Tips
- C-Lugs or Cutters
- X-Trash, Flyings and Spods
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 32:
- B-Heavy Leaf, locally known as Dull Crop
- C-Thin Leaf, locally known as Bright Crop
- X-Seconds and GroundsLeaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:
- A-Wrappers
- B-Heavy Leaf
- C-Thin Leaf
- X-Lugs
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 41:
- B-Binders or Tops
- C-Fillers, locally known as Wrappers or B's.
- X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:
- C-Fillers, locally known as Wrappers
- X-Stemming, Farm Fillers, Ground Leaves and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 45:
- C-Fillers
- X-Stemming, Ground Leaves, and crops unsuitable for sorting
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 46:
- C-Tripas or Fillers
- X-Resagos, Terceros, Boliches, and crops unsuitable for sorting.
- S-Scrap (Picadura), as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:
- A-Wrappers
- B-Binders, locally known as Seconds
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:
- B-Binders
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Bottom Leaves, and crops unsuitabl for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined *

GROUPS OF TYPES 61 and 62:
- A-Wrappers
- B-Binders
- C-Fillers, or Tips
- X-Trashy Fillers or Loose Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

---

* For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS
SUPPLEMENTAL REPORT BY GROUPS OF GRADES
OCTOBER 1, 1931

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	New Crop: Unstemmed 1000 lbs.	New Crop: Stemmed 1000 lbs.	Old Crop: Unstemmed 1000 lbs.	Old Crop: Stemmed 1000 lbs.	October 1 Group Totals 1000 lbs.	July 1 Group Totals 1000 lbs.
A	5,961	73	453	-	6,487	7,477
B	73,120	4,908	1,319	326	79,673	91,812
C	68,716	6,190	219	97	75,222	84,362
X	82,714	18,678	3,533	190	105,115	116,061
S	3,872	111	152	76	4,211	5,598
N	184	-	4	-	188	325
Total	234,567	29,960	5,680	689	270,896	305,635

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED.

A	129	-	-	-	129	186
B	44,521	1,193	38	9	45,761	43,517
C	72,608	5,428	86	382	78,504	74,170
X	87,561	14,457	325	2	102,345	84,116
S	4,397	68	66	-	4,531	4,797
N	155	6	-	-	161	209
Total	209,371	21,152	515	393	231,431	206,995

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	813	-	-	-	813	612
B	27,329	851	23	39	28,242	23,825
C	46,303	2,660	12	-	48,975	29,550
X	54,009	10,901	111	2	65,023	45,783
S	2,775	235	2	26	3,038	771
N	230	-	-	-	230	215
Total	131,459	14,647	148	67	146,321	100,756

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED.

A	46	-	-	-	46	158
B	18,513	4,200	-	-	22,713	11,467
C	9,503	36,498	5	-	46,006	37,586
X	10,442	10,750	28	-	21,220	13,838
S	577	-	-	-	577	288
N	69	8	-	-	77	29
Total	39,150	51,456	33	-	90,639	63,366

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Group	New Crop		Old Crop		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs	1000 lbs.	1000 lbs.
A	651	-	24	-	675	911
B	2,850	203	3,792	-	6,845	8,057
C	1,437	-	110	-	1,547	2,061
X	17,431	342	1,342	2	19,117	21,870
S	317	-	21	-	338	281
N	81	-	-	-	81	61
Total	22,767	545	5,289	2	28,603	33,241

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C H & S)

A	3,459	-	3	-	3,462	4,368
B	66,891	1,476	684	-	69,051	79,900
C	5,961	20	24	2	6,007	8,402
X	21,607	-	87	-	21,694	26,195
S	1,129	11	17	-	1,157	1,199
N	629	-	-	-	629	1,308
Total	99,676	1,507	815	2	102,000	121,372

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	359	1	-	-	360	227
B	17,055	732	191	-	17,978	22,803
C	3,797	1	1	-	3,799	4,793
X	4,643	-	17	-	4,660	5,783
S	280	-	2	3	285	372
N	146	-	-	-	146	196
Total	26,280	734	211	3	27,228	34,174

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

A	11	161	-	-	172	236
B	814	564	-	-	1,378	1,415
C	143	-	-	-	143	173
X	862	3	-	-	865	1,842
S	528	-	-	-	528	530
N	16	-	-	-	16	16
Total	2,374	728	-	-	3,102	4,212

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY

Group	New Crop		Old Crop		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,257	42	10	-	1,309	1,311
B	190,026	32,931	64	1,077	224,098	256,316
C	116,591	9,723	75	847	127,236	141,571
X	67,519	7,939	75	28	75,561	90,557
S	6,126	852	38	2	7,018	8,188
N	1,576	-	4	-	1,580	2,099
Total	383,095	51,487	266	1,954	436,802	500,042

U. S. TYPE 32.-SOUTHERN MARYLAND

B	5,830	-	-	-	5,830	619
C	12,869	1,554	1	-	14,424	10,099
X	1,562	61	3	2	1,628	912
S	26	-	-	-	26	45
N	196	-	-	-	196	81
Total	20,483	1,615	4	2	22,104	11,756

U. S. TYPE 35.-ONE SUCKER

A	1,296	-	3	-	1,299	1,663
B	13,817	130	16	1	13,964	17,056
C	8,218	-	79	-	8,297	10,967
X	7,663	129	34	-	7,826	10,297
S	485	-	-	-	485	445
N	453	-	-	-	453	598
Total	31,932	259	132	1	32,324	41,026

U. S. TYPE 36.-GREEN RIVER

A	330	-	2	-	332	172
B	9,356	473	499	68	10,396	11,197
C	1,031	12	372	-	1,415	1,797
X	10,639	218	322	13	11,192	12,097
S	877	13	1	8	899	865
N	8	-	-	-	8	8
Total	22,241	716	1,196	89	24,242	26,136

U. S. TYPE 37.-VIRGINIA SUN-CURED

A	226	-	-	-	226	283
B	574	13	35	53	675	761
C	605	1	36	1	643	785
X	363	1,472	-	29	1,864	2,249
S	47	-	-	-	47	64
Total	1,815	1,486	71	83	3,455	4,142

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

Group	New Crop		Old Crop		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
B	13,101	1,076	8	1	14,186	12,455
C	42,415	3,151	621	128	46,315	52,509
X	8,281	5,105	121	-	13,507	17,859
S	8	178	-	2	188	138
N	-	-	-	-	-	-
Total	63,805	9,510	750	131	74,196	83,011

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	15,075	642	696	136	16,549	18,326
X	2,827	2	21	-	2,850	3,055
S	3	26	-	-	29	26
N	2	-	-	-	2	11
Total	17,907	670	717	136	19,430	21,418

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	18,887	1,136	876	37	20,936	23,174
X	3,767	224	-	-	3,991	4,393
S	9	21	-	-	30	33
N	1	-	-	-	1	1
Total	22,664	1,381	876	37	24,958	27,601

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	8,132	60	213	4	8,409	8,164
X	1,352	-	-	-	1,352	1,249
S	2	29	-	-	31	23
N	-	-	-	-	-	-
Total	9,486	89	213	4	9,792	9,436

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	1,285	1,123	1	-	2,409	1,488
X	-	-	-	-	-	1
S	-	10	-	-	10	41
N	-	-	-	-	-	-
Total	1,285	1,133	1	-	2,419	1,530

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	1,132	16,947	89	1	18,169	18,768
X	1,436	2,458	-	38	3,982	4,694
S	162	1,229	-	-	1,391	1,478
N	-	-	2	-	2	-
Total	2,780	20,634	91	39	23,544	24,940

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51- CONNECTICUT VALLEY BROADLEAF

Group	New Crop		Old Crop		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	3,259	8	102	1	3,370	3,934
B	18,479	107	320	20	18,926	21,477
C	1,277	178	87	-	1,542	1,266
X	3,097	2,972	-	-	6,069	6,646
S	4	36	-	-	40	53
N	-	-	1	-	1	1
Total	26,116	3,301	510	21	29,948	33,377

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	1,690	4	41	-	1,735	1,765
B	22,991	61	1,094	6	24,152	27,370
C	1,252	254	-	-	1,506	1,765
X	2,647	3,344	-	6	5,997	7,351
S	1	8	-	-	9	14
N	-	-	-	-	-	-
Total	28,581	3,671	1,135	12	33,399	38,265

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED.

A	114	3	2	-	119	32
B	254	-	38	-	292	330
C	225	8	-	-	233	264
X	2,286	87	-	-	2,373	3,002
S	4	12	-	1	17	16
Total	2,883	110	40	1	3,034	3,644

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	11,677	29	824	123	12,653	13,275
C	4,049	175	1	1	4,226	4,641
X	34,838	8,806	-	-	43,644	48,506
S	12	51	-	-	63	53
Total	50,576	9,061	825	124	60,586	66,475

U. S. TYPE 55.-NORTHERN WISCONSIN.

B	20,586	100	69	-	20,755	20,867
C	4,634	349	2	-	4,985	5,344
X	16,608	2,167	1	-	18,776	19,797
S	34	9	-	-	43	45
N	24	-	-	-	24	27
Total	41,886	2,625	72	-	44,583	46,080

(Figures rounded to nearest thousand pounds.)

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

Group	New Crop		Old Crop		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	5,984	41	5	-	6,030	6,230
B	3,720	102	1	1	3,824	2,985
C	311	326	57	1	695	695
X	253	1	-	-	254	255
S	2	45	8	1	56	90
N	-	-	-	-	-	-
Total	10,270	515	71	3	10,859	10,255

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

A	4,032	9	4	-	4,045	3,360
B	915	7	-	-	922	654
C	122	6	-	-	128	68
X	61	-	-	-	61	26
S	-	1	-	-	1	1
N	-	-	-	-	-	1
Total	5,130	23	4	-	5,157	4,110

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC

No Groups:	1,825	511	28	80	2,444	2,843

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups:	6,344	7,969	91	18	14,422	14,750

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups:	60,864	155	1,696	-	62,715	74,131

GRAND TOTAL ALL TYPES

	New Crop		Old Crop		
	Unstemmed	Stemmed	Unstemmed	Stemmed	Grand Total
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	
October 1, 1931:	1,577,612	237,650	21,480	3,891	1,840,633
July 1, 1931	1,637,410	242,374	30,138	4,797	1,914,719

(Figures rounded to nearest thousand pounds.)

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics, Tobacco Section

TOBACCO STOCKS REPORT
LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS OCTOBER 1, 1931

Washington, D. C.
November 12, 1931

(Figures are in thousands of pounds)

TYPE NAME	U.S. Type No.	NEW CROPS Crops of 1927,'28,'29,'30 & '31 UNSTEMMED	NEW CROPS STEMMED	OLD CROPS Crops prior to 1927 UNSTEMMED	OLD CROPS STEMMED	TOTAL OF TYPE October 1,1931	July 1,1931	October 1,1930	July 1,1930
		1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
Old Belt Flue-cured Va. & N. C.	11	234,567	29,960	5,880	589	270,396	305,635	238,453	279,685
Eastern N. C. Flue-cured	12	209,371	21,152	515	393	231,431	206,995	197,000	173,980
South Carolina Flue-cured (including Southeastern N.C.)	13	131,459	14,647	148	67	146,321	100,756	140,635	81,593
Ga. and Florida Flue-cured	14	39,150	51,456	33	--	90,639	63,366	111,675	64,004
Total Flue-cured	--	614,547	117,215	6,376	1,149	739,287	676,752	687,769	599,262
Virginia Fire-cured	21	22,767	545	5,289	2	28,603	33,241	27,917	35,625
Tenn. and Ky. Fire-cured (Eastern District C.H. and S.)	22	99,676	1,507	815	2	102,000	121,372	87,589	121,954
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	26,280	734	211	3	27,228	34,174	19,467	24,901
Henderson Stemming or Northern Fire-cured	24	2,374	728	--	--	3,102	4,212	736	2,291
Total Fire-cured	--	151,097	3,514	6,315	7	160,933	192,999	135,710	184,771
Burley	31	383,095	51,487	266	1,954	436,802	500,042	373,032	438,659
Southern Maryland	32	20,483	1,615	4	2	22,104	11,756	17,167	9,553
Total Light Air-cured	--	403,578	53,102	270	1,956	458,906	511,798	390,200	448,212
One Sucker	35	31,932	259	132	1	32,324	41,026	25,123	30,283
Green River	36	22,241	716	1,196	89	24,242	26,136	23,786	28,533
Va. Sun-cured	37	1,815	1,486	71	83	3,455	4,142	3,878	4,935
Total Dark Air-cured	--	55,988	2,461	1,399	173	60,021	71,304	52,787	63,751
Pennsylvania Seedleaf	41	63,805	9,510	750	131	74,196	83,011	79,592	90,292
Gebhardt (Ohio-Miami Valley)	42	17,907	570	717	136	19,430	21,418	12,395	14,589
Zimmer (Ohio-Miami Valley)	43	22,664	1,381	876	37	24,958	27,601	17,766	20,300
Dutch (Ohio-Miami Valley)	44	9,486	39	213	4	9,792	9,436	6,266	7,393
Ga. and Fla. Sun-grown	45	1,285	1,133	1	--	2,419	1,530	2,345	1,340
Porto Rican Sun-grown	46	2,780	20,634	91	39	23,544	24,940	23,510	24,734
Total Cigar-Filler Types	--	117,927	33,417	2,648	347	154,339	167,936	141,874	158,648
Conn. Valley Broadleaf	51	26,116	3,301	510	21	29,948	33,377	24,809	28,960
Conn. Valley Havana Seed	52	23,581	8,671	1,135	12	33,399	38,265	32,898	35,732
N. Y. and Pa. Havana Seed	53	2,883	110	40	1	3,034	3,644	2,166	2,533
Southern Wisconsin	54	50,576	9,061	825	124	60,586	66,475	51,143	57,770
Northern Wisconsin	55	41,886	2,625	72	--	44,583	46,080	34,131	39,253
Total Cigar Binder Types	--	150,242	18,768	2,582	158	171,550	187,841	145,147	164,248
Conn. Valley Shade	61	10,270	515	71	3	10,859	10,255	10,162	10,207
Ga. and Fla. Shade	62	5,130	23	4	--	5,157	4,110	5,921	3,968
Total Shade-grown	--	15,400	538	75	3	16,016	14,365	16,083	14,175
Miscellaneous Domestic	70	1,825	511	28	80	2,444	2,843	2,918	2,932
Foreign cigar leaf	80	5,344	7,969	91	18	14,422	14,750	14,521	15,629
Foreign other than cigar leaf	90	60,864	155	1,696	--	62,715	74,131	51,993	74,025
TOTAL ALL TYPES	--	1,577,612	237,650	21,480	3,891	1,840,633	1,914,719	1,649,000	1,725,653

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco (b) manufacturers who in 1930, according to the returns of the Commissioner of Internal Revenue, manufactured less than 50,000 pounds of tobacco, less than 250,000 cigars, or less than 1,000,000 cigarettes, or (c) dealers who, on the average had less than 50,000 pounds of leaf tobacco in stock at the ends of the four quarters of 1930, pursuant to the provisions of the Tobacco Stocks and Standards Act, approved January 14, 1929.